

## Explanation Monthly Review Report

OELM-MRR\_EN.v2 [06-2014]

### Monthly Review Report

The Monthly Review Report gives a summary of results for the month shown. Click on the field arrow in the 'Sample' box and select the sample/month for which you wish to see the report. If results for more than one method/instrument have been submitted, separate reports may be selected from the 'Method Set' box.

**The Unit** refers to the units in which you have chosen to report your results (either mass or molar).

**The Z-score** is calculated as  $(x-X)/\sigma_{PT}$  where  $x$  = your result,  $X$  = the assigned value and  $\sigma_{PT}$  = the standard deviation for proficiency testing, defined by the organisers before the launch of the annual cycle on the basis of biological variability and/or the state of the art (see for example Arnaud *et al.* Clinical Chemistry 2008; 54: 1892-9). The tables below show, for each test, the quality specifications (QS) for the results, calculated as  $2 \sigma_{PT}$ , i.e. the intervals around the assigned value corresponding to z-scores between +2 and -2 when performance is acceptable.

Test Serum	QS criteria( $2\sigma_{PT}$ ) for proficiency assessment	
Aluminium	$\pm 0.18 \mu\text{mol/L}$ or $\pm 20\%$ , whichever is the greater	$\pm 5.00 \mu\text{g/L}$ or $\pm 20\%$ , whichever is the greater
Cobalt	$\pm 25 \text{ nmol/L}$ or $\pm 15\%$ , whichever is greater	$\pm 1.50 \mu\text{g/L}$ or $\pm 15\%$ , whichever is greater
Chromium	$\pm 38 \text{ nmol/L}$ or $\pm 20\%$ , whichever is greater	$\pm 2.00 \mu\text{g/L}$ or $\pm 20\%$ , whichever is greater
Copper	$\pm 0.84 \mu\text{mol/L}$ or $\pm 12\%$ , whichever is the greater	$\pm 53 \mu\text{g/L}$ or $\pm 12\%$ , whichever is the greater
Lithium	$\pm 0.03 \text{ mmol/L}$ or $\pm 10\%$ , whichever is greater	$\pm 0.20 \text{ mg/L}$ or $\pm 10\%$ , whichever is greater
Magnesium	$\pm 0.01 \text{ mmol/L}$ or $\pm 7.2\%$ , whichever is greater	$\pm 0.24 \text{ mg/L}$ or $\pm 7.2\%$ , whichever is greater
Selenium	$\pm 0.072 \mu\text{mol/L}$ or $\pm 12\%$ , whichever is the greater	$\pm 5.69 \mu\text{g/L}$ or $\pm 12\%$ , whichever is the greater
Thallium	$\pm 0.05 \text{ nmol/L}$ or $\pm 25\%$ , whichever is greater	$\pm 0.01 \mu\text{g/L}$ or $\pm 25\%$ , whichever is greater
Vanadium	$\pm 0.20 \text{ nmol/L}$ or $\pm 25\%$ , whichever is greater	$\pm 0.01 \mu\text{g/L}$ or $\pm 25\%$ , whichever is greater
Zinc	$\pm 1.20 \mu\text{mol/L}$ or $\pm 15\%$ , whichever is the greater	$\pm 78.5 \mu\text{g/L}$ or $\pm 15\%$ , whichever is the greater

## Explanation Monthly Review Report

OELM-MRR\_EN.v2 [06-2014]

Test Blood	QS criteria( $2\sigma_{PT}$ ) for proficiency assessment	
Arsenic	$\pm 100$ nmol/L or $\pm 15\%$ , whichever is the greater	$\pm 7.5$ $\mu$ g/L or $\pm 15\%$ , whichever is the greater
Cadmium	$\pm 4.00$ nmol/L or $\pm 20\%$ , whichever is greater	$\pm 0.45$ $\mu$ g/L or $\pm 20\%$ , whichever is greater
Cobalt	$\pm 25$ nmol/L or $\pm 20\%$ , whichever is greater	$\pm 1.50$ $\mu$ g/L or $\pm 20\%$ , whichever is greater
Chromium	$\pm 38$ nmol/L or $\pm 20\%$ , whichever is greater	$\pm 2.00$ $\mu$ g/L or $\pm 20\%$ , whichever is greater
Mercury	$\pm 5.00$ nmol/L or $\pm 25\%$ , whichever is greater	$\pm 1.00$ $\mu$ g/L or $\pm 25\%$ , whichever is greater
Magnesium	$\pm 0.01$ mmol/L or $\pm 7.2\%$ , whichever is greater	$\pm 0.24$ mg/L or $\pm 7.2\%$ , whichever is greater
Manganese	$\pm 30.00$ nmol/L or $\pm 15\%$ , whichever is greater	$\pm 1.65$ $\mu$ g/L or $\pm 15\%$ , whichever is greater
Lead	$\pm 0.14$ $\mu$ mol/L or $\pm 10\%$ , whichever is greater	$\pm 30.00$ $\mu$ g/L or $\pm 10\%$ , whichever is greater
Selenium	$\pm 0.072$ $\mu$ mol/L or $\pm 12\%$ , whichever is the greater	$\pm 5.69$ $\mu$ g/L or $\pm 12\%$ , whichever is the greater
Thallium	$\pm 0.05$ nmol/L or $\pm 25\%$ , whichever is greater	$\pm 0.01$ $\mu$ g/L or $\pm 25\%$ , whichever is greater
Zinc	$\pm 1.50$ $\mu$ mol/L or $\pm 10\%$ , whichever is the greater	$\pm 0.10$ mg/L or $\pm 10\%$ , whichever is the greater

Test Urine	QS criteria( $2\sigma_{PT}$ ) for proficiency assessment	
Arsenic	$\pm 100$ nmol/L or $\pm 15\%$ , whichever is the greater	$\pm 7.5$ $\mu$ g/L or $\pm 15\%$ , whichever is the greater
Cadmium	$\pm 4.00$ nmol/L or $\pm 15\%$ , whichever is greater	$\pm 0.45$ $\mu$ g/L or $\pm 15\%$ , whichever is greater
Cobalt	$\pm 25$ nmol/L or $\pm 15\%$ , whichever is greater	$\pm 1.50$ $\mu$ g/L or $\pm 15\%$ , whichever is greater
Chromium	$\pm 58$ nmol/L or $\pm 20\%$ , whichever is greater	$\pm 3.00$ $\mu$ g/L or $\pm 20\%$ , whichever is greater
Copper	$\pm 0.25$ $\mu$ mol/L or $\pm 20\%$ , whichever is the greater	$\pm 16$ $\mu$ g/L or $\pm 20\%$ , whichever is the greater
Iodine	$\pm 150$ nmol/L or $\pm 25\%$ , whichever is the greater	$\pm 19$ $\mu$ g/L or $\pm 25\%$ , whichever is the greater
Iron	$\pm 0.60$ $\mu$ mol/L or $\pm 20\%$ , whichever is the greater	$\pm 0.03$ mg/L or $\pm 20\%$ , whichever is the greater
Mercury	$\pm 15.00$ nmol/L or $\pm 30\%$ , whichever is greater	$\pm 3.00$ $\mu$ g/L or $\pm 30\%$ , whichever is greater
Magnesium	$\pm 0.03$ mmol/L or $\pm 12\%$ , whichever is greater	$\pm 0.73$ mg/L or $\pm 12\%$ , whichever is greater
Manganese	$\pm 10.00$ nmol/L or $\pm 25\%$ , whichever is greater	$\pm 0.55$ $\mu$ g/L or $\pm 25\%$ , whichever is greater
Nickel	$\pm 25.5$ nmol/L or $\pm 15\%$ , whichever is greater	$\pm 1.50$ $\mu$ g/L or $\pm 15\%$ , whichever is greater
Lead	$\pm 40.00$ nmol/L or $\pm 20\%$ , whichever is greater	$\pm 8.3$ $\mu$ g/L or $\pm 20\%$ , whichever is greater
Selenium	$\pm 0.30$ $\mu$ mol/L or $\pm 25\%$ , whichever is the greater	$\pm 23.7$ $\mu$ g/L or $\pm 25\%$ , whichever is the greater

## Explanation Monthly Review Report

OELM-MRR\_EN.v2 [06-2014]

Test Urine	QS criteria( $2\sigma_{PT}$ ) for proficiency assessment	
Thallium	$\pm 0.49$ nmol/L or $\pm 25\%$ , whichever is greater	$\pm 0.10$ $\mu\text{g/L}$ or $\pm 25\%$ , whichever is greater
Vanadium	$\pm 0.20$ nmol/L or $\pm 25\%$ , whichever is greater	$\pm 0.01$ $\mu\text{g/L}$ or $\pm 25\%$ , whichever is greater
Zinc	$\pm 1.20$ $\mu\text{mol/L}$ or $\pm 15\%$ , whichever is the greater	$\pm 0.08$ mg/L or $\pm 15\%$ , whichever is the greater

The performance score is calculated as follows (ignoring the + or – sign).

a Z-score of 0 to 1 = 3,

a Z-score of >1 to 2 = 2;

a Z-score of >2 to 3 = 1;

a Z-score of >3 = 0.

Scores of 0 are printed in red, of 1 in amber and of 2 or 3 in black.

The cumulative performance score is the sum of all performance scores of the samples in the annual cycle you have assayed until now. Your cumulative performance score is printed in black, amber or red. A black score implies a satisfying score and is applicable for scores >66% of the maximum achievable score. An red score indicates unsatisfactory performance and is applicable for scores  $\leq 33\%$  of the maximum achievable score..

The median cumulative performance score refers to the scores of all participants.

To print or save a copy of the report click on the 'PDF for Printing' button